



Engineering a Better Solution

INTRODUCTION

In 1879 we invented the gabion and changed the course of civil engineering. We are still changing it today.

We provide engineering services across many market sectors, solving their geotechnical problems. We are a vertically integrated company; we research, design, manufacture and supply materials and support the construction of our solutions.

The global footprint of our offices and manufacturing facilities means you are never far from Maccaferri's engineers and the support they can bring to your projects.

Our knowledge capital is shared throughout our business and with our clients; global capability is delivered locally through our specialists.

We endeavour to 'Engineer a better solution'; minimising the carbon footprint, waste and by reusing site materials whenever possible.

We thrive on innovation, whether in the solutions we provide or the combinations of materials we use. The Maccaferri Innovation Center (MIC) is our R & D hub; advances made here in materials, design and manufacturing bring benefits to our clients.

CONTENTS

Our Applications:

1. Hydraulic Works
2. Retaining Walls & Soil Reinforcement
3. Rockfall Protection & Snow Barriers
4. Soil Stabilisation & Pavements
5. Basal Reinforcement
6. Erosion Control
7. Environment, Dewatering & Landfills
8. Coastal Protection, Marine Structures & Pipeline Protection
9. Drainage of Structures
10. Landscape & Architecture
11. Safety & Noise Barriers
12. Tunnelling
13. Concrete Flooring, Precast & Other uses
14. Fencing & Wire

We manufacture and supply high quality durable materials which:

- M** Enhance the service life of the works
- M** Reduce environmental impact
- M** Provide client reassurance

Many of our products are certified by international or local accreditation bodies.

This guide provides a short introduction to the range of Maccaferri solutions. Detailed technical information, brochures, design guides and more are available from your local Maccaferri website and office.



Market Sectors

Interrelation between sectors and applications

Applications	Transportation Infrastructure	Urban Infrastructure	Mining	Oil & Gas / Energy	Coastal & River Control Works	Environmental Protection	Defence & Security	Emergency & Flood	Building, Industry, Sport	Agribusiness
Basal Reinforcement	✓	✓	✓	✓						
Coastal Protection, Marine Structures & Pipeline Protection				✓	✓	✓				
Concrete Flooring, Precast & Other uses	✓	✓	✓	✓						
Drainage of Structures	✓	✓	✓	✓	✓	✓			✓	✓
Environment, Dewatering & Landfills			✓	✓		✓				✓
Erosion Control	✓	✓	✓	✓	✓	✓		✓		✓
Fencing and Wire	✓	✓					✓		✓	✓
Hydraulic Works	✓	✓	✓	✓	✓			✓		✓
Landscape & Architecture		✓				✓				
Retaining Walls & Soil Reinforcement	✓	✓	✓	✓	✓	✓		✓		✓
Rockfall Protection & Snow Barriers	✓	✓	✓	✓						
Safety & Noise Barriers	✓	✓	✓	✓			✓			
Soil Stabilisation & Pavements	✓	✓	✓				✓			✓
Tunnelling	✓	✓	✓	✓						
Aquaculture Nets/Cages*										✓

* Not covered in this guide. Please visit maccaferri.com for more information

Managing the power of water

With over 130 years of expertise in hydraulic works, we support clients by selecting solutions appropriate to the hydraulic erosion risk they face. With a wide range of products, we are able to tailor the intervention to optimise value and performance. Our solutions are flexible, permeable and durable, essential in these dynamic hydraulic environments.

Including soil bioengineering measures within the hydraulic works encourages revegetation, integrating it back into nature.

Our solutions include:

Channelling works

Reno Mattresses and gabions are typically used to fully contain and protect the watercourse within a specific alignment.

Longitudinal structures

The protection of individual river banks and areas of focused erosion depends on the hydraulic forces expected; geosynthetics (MacMat® geomat range) and biodegradable geomats (Biomac® C range) for lower energy flows to Reno Mattresses and gabions for demanding, high energy flows.


Weirs, culverts and transverse structures

By controlling and dissipating energy in focused locations, grade control structures reduce the hydraulic gradient of the river and hence the erosion forces. Gabion and Reno Mattress weir structures are flexible and simple to install.

Water control structures guide flows into and out of culverts and often have two functions; hydraulic erosion protection and geotechnical stability. Gabions and Terramesh® System can retain headwalls and stabilise banks.

Waterproofing of reservoirs, lakes & channels

Our MacLine® impermeable membranes and geosynthetic clay liners are often used to contain water within hydraulic works. They prevent water from draining away or cross-contaminating ground water. These geomembranes are often used in conjunction with our package of MacTex® geotextiles and MacDrain® drainage geocomposites.



Channelling works containing river in urban area



MAC.R.A. Suite
Our software is used to design channel protection and transverse structures. These enable the designer to rapidly perform preliminary hydraulic studies to evaluate the bank protection or the weir structure required.



Longitudinal protection on major river



Weir structures can be large or small

RETAINING WALLS & SOIL REINFORCEMENT

When our clients need a small retaining wall in a housing development, a tall crusher wall in a mine or massive reinforced soil structures on a major infrastructure project, they trust Maccaferri to help. We offer cost-effective, value engineered, scalable solutions for clients with earth retention problems.

Mass Gravity Retaining Walls

Tried and tested for over a century, our gabions are brought up to date with state-of-the-art manufacturing, corrosion resistance and design. Gabions offer a good value, attractive and long-lasting retaining wall.

A global leader in double-twist woven wire mesh products, our flexible gabion units offer strength and high drainage capacity. They absorb differential settlement and deformations with ease.

Reinforced Soil Walls & Slope Reinforcement


Reinforcing soils with geogrids enables them to perform better than in their unreinforced state; standing steeper, accommodating higher loads and settling less. This is useful when reducing the footprint of a new highway embankment, or to gain development area on a sloping site. Maccaferri geogrids including MacGrid® WG, ParaGrid® and ParaLink® are high-strength, low-strain grids with excellent soil interaction.

Terramesh® and Green Terramesh® combine the rapid installation of a modular system with the flexibility of soil reinforcement. Used in conjunction with our polymeric geogrids, we can offer super-tall hybrid structures; we have completed numerous walls over 30m high in seismic zones.

Green Terramesh® enables vegetation to be established on reinforced soil slopes.



Retaining Walls & Soil Reinforcement solutions



MacSTARS

Our powerful software assists in the design of retaining walls and reinforced soil projects, optimising solutions to balance technical performance, environmental compatibility and architectural harmony.

Vertical Walls with Concrete Facing

When only a narrow construction corridor is available, or a reinforced soil structure with a vertical face is required, Maccaferri MacRes® system can be used.

Ideal for tall walls in mine works or infrastructure where working loads are high, MacRes® features corrosion-free ParaWeb® geostrip soil reinforcement, connected to large concrete facing panels.

A more formal and urban architectural aesthetic is offered with our MacWall® segmental blockwork faced reinforced soil wall.

Benefits of Soil Reinforcement:

- M** Maximise the opportunity to reuse site-won materials as structural backfill
- M** Embrace sustainability and reduce polluting truck movements
- M** Cost effective
- M** Wide variety of face finishes including vegetation, rock, concrete block and panel
- M** Accommodate differential settlements and seismic loads better than rigid solutions



“ParaLink and ParaGrid are amongst the most tried and tested geogrids in the world offering 120 year design life and high performance.”

ROCKFALL PROTECTION & SNOW BARRIERS

With over 60 years' experience, our rockfall protection and natural hazard mitigation systems are key elements in the security and safety of people, roads, railways, mining operations and property.

Simple Drapery

Our steel wire double twist drapery mesh is flexible and conforms easily to the rock slope to contain loose and falling rock debris. For higher slopes and increased debris loads (or snow/ice loads), Maccaferri Steelgrid® HR high strength drapery mesh can be used.

Surface Strengthening & Support

Our range of high strength meshes are designed to work in conjunction with anchorages, to form a system that increases the stability of the unstable surficial layer of the rock slope.

Featuring high tensile steel cables, our patented HEA Panels and Steelgrid® HR meshes offer high stiffness (load vs deformation) performance, ideal to limit rock detachment on critical slopes.

Dynamic Rockfall barriers

Installed on the slope to intercept falling rocks and boulders, Maccaferri's dynamic rockfall barriers offer an energy absorption capacity of 250 – 8600kJ.

Patented energy dissipation systems absorb the kinetic energy efficiently with industry leading after-impact residual height and deflection limit.

Debris Flow Barriers

Our Debris flow barriers are positioned within the anticipated path of debris flows or shallow landslides, often in natural gullies, channels or chutes on the slope.

Rockfall embankments

Scalable to suit the hazard, embankments are used where large or repeated impacts are expected including landslides, rockfalls, and avalanches. Featuring reinforced soil technology, they can often re-use site won materials in their construction. Embankments can be designed to accept impact energy capacities of over 20,000kJ.



Our dynamic rockfall barriers are tested and certified in accordance with the European Test and Approval Guideline ETAG 027 of the European Organisation for Technical Approvals (EOTA) and provided with CE marking.

MACRO Studio

Our flexible software enables engineers to design and optimise rockfall drapery and surface stabilisation solutions.



Soil nailing

Our solutions include the use of soil nails in conjunction with HEA panels or Steelgrid® HR mesh, or with MacMat® R or MacMat® HS when slope revegetation is required.

Snow fences & Avalanche Protection

Certified by the Swiss Federal Institute for Snow and Avalanches, our snow nets stabilise the layer of snow at the avalanche initiation zone preventing it triggering.

A system of snow fence posts and anchors transmit forces from the snow pack into the ground.



SOIL STABILISATION & PAVEMENTS

Whether constructing a railway track-bed, gravel forestry track over soft soil, or resurfacing a multi-lane highway, our leading range of solutions help to improve performance:

- M** Help reduce maintenance requirements
- M** Reduce material use
- M** Reduce fatigue, reflective, thermal and settlement cracking
- M** Reduce carbon-footprint
- M** Lower whole life costs

Asphalt Pavement Reinforcement

Maccaferri offers a wide range of asphalt pavement reinforcements to reduce whole-life costs; Road Mesh® structurally reinforces the pavement and provides lateral restraint whilst MacGrid® AR geogrids inhibit reflective cracking in overlays.

Stress concentrations in the asphalt matrix are relieved and redistributed by the reinforcement.

Sub-grade Improvement

Haul roads in mines, access roads on construction sites or tracks made from unbound materials can suffer from many issues that prematurely age the road, reducing operational efficiency.

Maccaferri's geosynthetics including MacGrid® and MacTex® work with the unbound granular layers extending its life by preventing bearing capacity failure and excessive rutting. Additionally, MacGrid® EG and WG can reduce the thickness of the construction layers cutting the carbon footprint.

Sub-grade and Pavement Drainage

Removing unwanted water from the beneath or adjacent to the road increases its performance. MacDrain® drainage geocomposites replace traditional granular drainage stone with reliable, lab-tested hydraulic performance. They reduce excavation and drainage gravel volumes saving clients' money and carbon footprint.



Road Mesh®





MacREAD
 (Maccaferri Road Equivalent Assistant for Design) software is used to optimise the road structure, including both unbound and bound layers, in standard and improved conditions through the addition of geosynthetics within the various layers.



Soil stabilisation & pavement solutions

BASAL REINFORCEMENT

When construction is carried out upon weak ground, there is the possibility of differential settlement occurring. This is caused by geological effects including subsidence, sink holes and solution features and by man-made effects such as old mine workings.

Construction over soft soils

Embankments constructed on cohesive or alluvial soils may be subject to settlement and geosynthetics are often used to meet the service life and serviceability settlement requirements of the project including:

- M** ParaLink® high strength-low strain geogrids to reinforce the embankment foundations
- M** ParaGrid® and MacGrid® geogrids
- M** MacTex® W1 and W2 woven geotextiles to reinforce and separate the foundation materials
- M** MacDrain® vertical wick drains to accelerate the consolidation of the soil
- M** MacTex® H geotextiles to separate poor strata from better quality embankment construction materials

Piled embankments

A piled foundation is often used to limit the vertical settlement of an embankment. ParaLink® or MacGrid® WG geogrids, offer high strength with low strain characteristics and when used in conjunction with piles can replace an embankment foundation slab.

These geogrids, with design lives in excess of 120 years, work with the soils, absorbing the forces from the embankment above and transferring them vertically into the piles. This enhanced technical performance often enables an increase in the pile spacings reducing construction cost and time.

Construction over voids

There is a risk of catastrophic failure due to sudden settlements in locations prone to mining subsidence, natural voids or solution features. Paralink® geogrid reinforced soil foundations are used to prevent the most serious effects of these phenomena.





We use our MACBARS (Maccaferri Basal Reinforcement Software) to solve these problems.

EROSION CONTROL

Erosion of the land by wind, rain or storm water run-off can have far reaching consequences.

We offer a graded, logical range of erosion control solutions so that the level of intervention is appropriate to the erosion risk encountered:

- M** Biomac® biodegradable biomats
- M** MacMat® reinforced and un-reinforced geomats
- M** MacTex® EC
- M** Traditional double twist steel wire-based products gabions, Reno Mattresses® and wire mesh

Slope Protection

Soil slopes are subject to continuous erosion forces, whether natural or caused by man. Erosion control systems offer short-term (Biomac® biodegradable mats) or long-term (MacMat® geomats, Reno Mattresses®) protection of the slope surface.

In addition to providing immediate protection from the erosion forces, these systems are designed to facilitate the re-establishment of vegetation on the slope.

Soil Veneer Applications

When placing soil onto surfaces with a low friction angle, there is the risk that the soil will slump down the slope. This is common when capping landfills, on the banks of lakes, or simply where a layer of soil is required to revegetate a sterile slope.

Geosynthetics including MacMat® and our reinforced MacMat® R geomats, selected according to the thickness and tensile strength required, provide a grip-layer which supports the soil veneer.

Working with our engineers, it is even possible to provide a soil veneer within landfills

This approach is common in landfill capping applications where MacMat® R is used in conjunction with geosynthetic membrane liners MacLine®, MacLine® GCL and drainage geocomposites MacDrain®.



If the slope is structurally unstable, more complex systems will also be needed, for example soil reinforcement or soil nailing systems in combination with the surface protection measures.



Erosion control solutions

ENVIRONMENT, DEWATERING & LANDFILLS

We offer a range of integrated systems for landfills and other situations where there is a need to protect the existing ground from contamination by external sources including:

- M** Mining leachate lagoons or heap-leach pads
- M** Storm water attenuation ponds next to highways
- M** Slurry storage cells in agriculture
- M** Waste fluids from industry

Lining systems – base and capping

Our solutions can combine natural and geosynthetic materials to achieve the required safety levels and waste regulations and also to optimise construction efficiency.



Products in our wide range include:

- M** MacLine® geomembranes
- M** MacLine® GCL bentonite clay liners
- M** MacDrain® drainage geocomposites
- M** MacTex® geotextiles for separation, filtration and protection
- M** ParaLink®, ParaGrid®, MacGrid® WG soil reinforcement geogrids
- M** ParaDrain® hybrid geogrid with integral drainage function
- M** MacMat® geomats for erosion control and soil veneer grip layers

We supply complete systems for the lining systems at the base of the containment facility and also the final capping; packages of products which protect, waterproof and drain are designed to work in sympathy.

Our MacMat® and BioMac® geomats support the naturalisation of the site post-closure and its

rehabilitation into the landscape; especially important in abandoned mine works or historic landfills.

Reinforcement of marginal soils & waste

We help operators to maximise the storage volumes in their existing facilities through the use of geogrid reinforced soil structures. These are used within landfill cells to successfully increase cell capacities delivering environmental and cost benefits.

Heavy duty ParaLink® geogrids are also used in piggybacking works to reduce differential settlements when an existing waste facility is re-engineered to accept more waste.

Dewatering

The dewatering and drying of sludge is a technology with low environmental impact and cost. MacTube® geosynthetic tubes are filled in-situ with natural or contaminated fluid sludges. The fluid drains through the specifically designed fabric walls, leaving the solid residue within the tube which is easier and more cost effective to dispose of.





Before



After

COASTAL PROTECTION, MARINE STRUCTURES & PIPELINE PROTECTION

We offer engineered solutions to protect and ballast submerged pipelines, to reduce coastal erosion and reduce inland flooding.

Pipeline Protection

Our Sarmac® bituminous mattresses and our ACBM (Articulated Concrete Block Mattresses) ballast and protect underwater pipelines and cables. They are flexible, deformable and impact resistant.

Breakwaters & Groynes

Replacing the traditional rubble mound core material with MacTubes® filled with dredged material (sand or silt) can be an effective alternative to speed up construction activity and reduce breakwater overall costs. The range also includes unique Ballasted Filtering Mattresses for use beneath marine structures.

Dune Reconstruction

Our solutions to reconstruct and preserve existing dunes combine landscape and environmental requirements with material availability and ease of implementation. MacTubes® and MacBags® are

ideal where there is a readily available supply of sand whilst gabions and Reno or Marine mattresses are alternatives where rocks or other material is available.

Quays, piers and Jetties

Free-draining gabions and Reno Mattresses® with tough and durable PoliMac™ coatings provide flexible solutions in port areas. They can even be prefilled and lifted into position to offer scour protection from eddies, propeller wash or beneath open piers.

Seawalls and Shoreline Structures

MacTube®, MacBag®, gabions and Reno Mattresses® provide longitudinal shoreline protection and rehabilitation. They are often used in sympathy with each other.

Seagrass Meadows and Reef Reconstruction

Our reinforced MacMat® geomats provide root anchorage for vulnerable seagrasses as they attempt to colonise sea beds. A similar approach, often in combination with MacBags® and MacTubes® is used in the reconstruction of reef zones, damaged by storms.



MacTube® and MacBag® breakwaters and groynes



Ballasted Filtering Mattress



Coastal Protection, Marine Structures & Pipeline Protection solutions

DRAINAGE OF STRUCTURES

Without adequate drainage, the soils in contact with structures can become saturated and weakened potentially causing numerous problems.

MacDrain® drainage geocomposites (with a geomat or geonet core) are the modern solution to replace traditional gravel drains which reduces:

- the cost of the drainage system
- the quantity of quarried materials
- the polluting truck movements needed to deliver the gravels

Vertical Drainage Works

Effective drainage of the soils behind retaining structures, piled walls and within slopes is important to ensure the long-term performance of that asset. Lab-tested MacDrain® geocomposites offer reliable and long-term drainage capacity unlike gravel drains which can become clogged by fines in suspension within the ground water.

Consolidation by Drainage Systems

Slope and ground instability can be caused by ineffective management of the water within them. Removing that water stabilises and consolidates the soils. MacDrain® within drainage trenches, linked to collection systems rapidly removes unwanted ground water.

Planar and Horizontal Drainage

Providing a reliable drainage path beneath structures and sports pitches removes water which could affect the performance or lifespan of the structure above. Even when placed near-horizontally, MacDrain® provides good drainage function.



Railway track drainage



Our MacFLOW software resolves water-management challenges by enabling the design of the optimal MacDrain® drainage solution. The best value solution should not only address technical and economic issues, but also the environmental benefits and the speed and efficiency of installation.



Sports pitch drainage



Highway trench drain



Drainage of structures

LANDSCAPE & ARCHITECTURE

Both functional and eye-catching, gabions have a rich history world-wide for their use as architectural features.

The only limit is the imagination and landscape architect's creativity in the use of the mesh or gabion. We have seen gabions, geogrids, Terramesh® and Green Terramesh® used as the core in many landscape architecture projects to provide an intimate and reflective area offering sound proofing, privacy and beauty.

There are many design options available to the landscape architect from retaining to free standing landscaping walls; low with trailing plants, or built with curves, sharp angles or coloured rock fill. Rock filled gabion units are also popular as cladding on buildings and other structures, to provide a natural-looking aesthetic statement.



SAFETY & NOISE BARRIERS

Increasing urbanisation brings people and infrastructure into closer proximity. We provide solutions to this, addressing potential conflicts and providing solutions to mitigate the risks of safety and noise. Simple to construct reinforced soil bunds or gabion walls can provide acoustic and visual screening.

Vehicles accidentally leaving highways or railways, can be stopped before they threaten people or property. The impact knowledge is founded in our experience of rockfall and debris flow embankments.

Defence and Security; today's hostile threats are as likely to affect civilians as well as service personnel. Our force protection bastions were first used in WW1 and the original philosophy remains true today with our Defencell MAC™; to provide rapid-to-deploy effective troop protection from blast, ballistic or vehicular attack. In addition, our MacSafe™ fence can prevent hostile vehicle intrusion.



MacSafe™ on Promenade des Anglais, Nice, France
Images© Robert Palomba Photographe



Acoustic barriers along highways



Defencell MAC™ force protection

Maccaferri offers solutions for all stages of both conventional and TBM excavated tunnels, that enable the safe and rapid advance of even large diameter tunnels:

- M** Portal works and support systems
- M** Support and pre-consolidation of the tunnel
- M** Primary lining
- M** Soft-eye breakthrough
- M** Final lining

Consolidation

Our fiberglass reinforcements stabilise the excavation, preventing its collapse and enhancing the overall safety conditions.

The reinforcements are suitable for both sequential and full-face excavation (e.g. ADECO-RS and the like).

Special systems, including our P.E.R. Ground™ system, are available to overcome challenging ground conditions and achieve high anchoring performance.

Fiberglass reinforcement bars for concrete can be used within temporary underground structures such as diaphragm walls and the 'soft eye' breakthrough.

Primary Lining


Our patented B.Zero Tondo™ Tunnel Support System provides efficient first stage support. The unique tubular steel-arch ribs are filled with pumped concrete in-situ and offer greater structural efficiency than traditional steel-arch supports. Installed in conjunction with the remote control 3-Arm Handler, operatives are removed from the dangers of the excavated face, dramatically enhancing the safety conditions.

Final Lining

Our steel fibre reinforced concrete (SFRC) solutions enable the reduction (and sometimes elimination) of traditional steel bar reinforcement. Micro polymer fibres within the concrete significantly increase fire resistance by reducing spalling phenomena.



In October 2014, Maccaferri entered into a global sales and distribution joint venture (JV) with Bekaert. The resulting JV, Bekaert Maccaferri underground construction markets with SFRC solutions on a world-wide basis, except in mainland China and Hong Kong, Argentina, Brazil, Paraguay, Peru and Uruguay. In these countries Bekaert and Maccaferri will continue to operate independently.



Tunnelling solutions

CONCRETE FLOORING, PRECAST & OTHER USES

In mainland China and Hong Kong, Argentina, Brazil, Paraguay, Peru and Uruguay only, we offer Steel Fibre Reinforced Concrete (SFRC) for use within industrial flooring, slabs and precast products.

Maccaferri Wirand steel fibres and Fibromac micro-polymer fibres are used to improve the performance of concrete whether precast, poured in-situ or used as shotcrete:

- M** From brittle to ductile behaviour, reducing weak points
- M** From compressive strength to flexural structural performance
- M** Enhanced structural performance and 'buildability'

Warehouses and industrial slabs

Our Wirand® steel fibre reinforcement enhances the performance of concrete slabs and industrial floors once cracks initiate, bridging the cracks and controlling their width.

Compared to traditional steel bar reinforcement, SFRC:

- M** Reduces weak points in the slab
- M** Increases panel sizes by eliminating saw-cuts (up to 2500m²)
- M** Reduces slab thickness
- M** Is quicker, safer and cheaper to install
- M** Can replace traditional reinforcement

Precast concrete

Wirand (SFRC) and Fibromac™ polymer fibres increase the durability, ductility and the shear, impact and fire resistance of the resulting concrete.

Other benefits include:

- M** Reduced complex steel reinforcement detailing
- M** Improved freeze-thaw/thermal resistance
- M** Reduced early-age cracking
- M** Earlier removal of formwork



FENCING & WIRE

It was wrought iron fences and gates which gave birth to the Maccaferri company nearly 500 years ago.


Today we offer fencing solutions including safety, security, protection and durability through the combination of modern materials and components.

Modular construction and design standardisation are also key elements of our fences.

Our fencing systems are used to:

- M** Protect or secure infrastructure
- M** Contain livestock
- M** Enclose buildings and other facilities

We are not only a major user of coated steel wire in our mesh products, we are also a manufacturer of wire. We supply wire as a raw material for a wide range of other industries.



Officine Maccaferri S.p.A.

Via J.F. Kennedy, 10
 40069 Zola Predosa (Bologna) - Italy
T: +(39) 051 643 6000
F: +(39) 051 643 6201
E: info@hq.maccaferri.com
maccaferri.com



Engineering a Better Solution

Maccaferri's motto is 'Engineering a Better Solution'; We do not merely supply products, but work in partnership with our clients, offering technical expertise to deliver versatile, cost effective and environmentally sound solutions. We aim to build mutually beneficial relationships with clients through the quality of our service and solutions.

OFFICINE MACCAFERRI GROUP PROFILE

Founded in 1879, Officine Maccaferri soon became a technical reference in the design and development of solutions for hydraulic works and retaining structures.

Since then, through technological innovation, geographical expansion and focussed diversification, Maccaferri now offers solutions at a global level for a wide range of civil, geotechnical and environmental engineering applications.

ORGANISATIONAL STRUCTURE

Officine Maccaferri is at the heart of the Maccaferri Industrial Group, a corporation with revenues of €1.2B, operating in mechanical engineering, real estate & construction, energy, food & agro-industry and tobacco.

Officine Maccaferri's vision is to become a leading international provider of advanced solutions to the civil engineering and construction market. With nearly 3000 employees, over 30 manufacturing facilities and local operations in 100 countries around the world, Maccaferri can truly claim to have a global presence with local focus.


MACCAFERRI APPLICATIONS

 **RETAINING WALLS & SOIL REINFORCEMENT**

 **SOIL STABILISATION & PAVEMENTS**

 **DRAINAGE OF STRUCTURES**

 **FENCING & WIRE**

 **HYDRAULIC WORKS**

 **BASAL REINFORCEMENT**

 **TUNNELLING***

 **AQUACULTURE NETS/CAGES**

 **ROCKFALL PROTECTION & SNOW BARRIERS**

 **COASTAL PROTECTION, MARINE STRUCTURES & PIPELINE PROTECTION**

 **LANDSCAPE & ARCHITECTURE**

 **CONCRETE FLOORING, PRECAST & OTHER USES***

 **EROSION CONTROL**

 **ENVIRONMENT, DEWATERING & LANDFILLS**

 **SAFETY & NOISE BARRIERS**

* In 2014, Maccaferri and Bekaert entered a global sales and distribution joint venture: Bekaert Maccaferri Underground Solutions serves all markets except China, Hong Kong, Argentina, Brazil, Paraguay, Peru and Uruguay. In these countries the companies act independently.

